



Facebook



WhatsApp



Twitter



LinkedIn



Instagram



YouTube



INFITEK Product Banner

Infitek Co., Ltd.

TEL: +86-531-88982330
FAX: +86-531-88983691
Website: www.infitek.com
Email: info@infitek.com
Service: support@infitek.com
Address: Rm. 2014, Bldg. 3, Ligaoguoji Huayuan, No.1222,
West Aoti Road, Lixia District, Jinan, Shandong

Infitek Inc.

522w Riverside Ave Ste N, Spokane, WA 99201
Email: Info@infitek.com



Website

WeChat

INFITEK CO., LTD.





ONE STOP LABORATORY EQUIPMENT SUPPLIER

www.infitek.com

Infitek



Agricultural Lab Solution

- Seed Counter
- Plant Nutrition Analyzer
- Soil Nutrient Speed Tester
- Plant Porometer
- Portable Area Meter
- Chlorophyll Meter
- Grain Moisture Meter

ASC-TCP BSN Series PRO-1000 PAM-T2 BMCA-1G BPNA-4 BCHL-B

Infitek

Autoclave & Sterilizer For Laboratory

- STV-I Series
- STB-BZ Series
- STH Series
- STP-E Series
- DOF-HAS II Series
- BCS-800A
- STGB-300B

Infitek

Agricultural Lab Solution

- Seed Counter
- Plant Nutrition Analyzer
- Soil Nutrient Speed Tester
- Plant Porometer
- Portable Area Meter
- Chlorophyll Meter
- Grain Moisture Meter

ASC-TCP BSN Series PRO-1000 BCHL-B BPNA-4 PAM-T2 BMCA-1G

Infitek

Autoclaves & Sterilizers

Safety, High Efficient, Verifiable

BCS-825A BGS-300H STB-BZ Series STP-E Series STV-I Series STV Series

Infitek

CE



**PCR & Tuberculosis
Microscanner' get CE certificate**
(IVDR (EU) 2017/746)



Infitek

RIO-NAVIX

CE

Infitek

CE

The image shows a white PCR & Tuberculosis Microscanner on a white pedestal. To its left is a framed CE certificate for the RIO-NAVIX model. To its right is another framed CE certificate. The background is a light blue wall with a circular pattern.

**Laboratory
Evaporation System**

Rotary Evaporator
Chemistry-design Diaphragm Pump
Vacuum Controller
Low-temperature constant
temperature bath
Double-layer Glass Reactor



Infitek

RCHL Series

VACC100

VACP-D410

REV-3000 Series

GR-D5L

CE FDA

The image displays various laboratory evaporation system components on a blue background. From left to right: a VACC100 vacuum controller, a VACP-D410 diaphragm pump, a REV-3000 Series rotary evaporator, and a GR-D5L double-layer glass reactor. The Infitek logo is in the top right corner, and CE and FDA logos are in the bottom left corner.

Infitek

**HAZE METER
HM-1200**

Resolution:0.01unit
Light source:
400nm to 700nm
Combined LED light source



42%
OFF

The image shows the Infitek HAZE METER HM-1200, a black and white device with a digital display and a light source. It is positioned on a blue pedestal. The background is a solid blue color.

**MEDICAL
DIAGNOSIS DEVICE**

Biochemistry Analyzer
Auto Hematology Analyzer
Coagulation Analyzer
Urine Analyzer
ESR analyzer



The image displays a collection of Infitek medical diagnosis devices. In the foreground, there is a large white and black device. Behind it, on a black shelf, are three smaller white devices. In the background, on a white shelf, are three more white devices. The background is a light blue wall with a grid pattern.

BIG DISCOUNT

Infitek

Electrochemistry & Titration

Promotion plan 1: Price reduction of **7%**
 Promotion plan 2: Free electrodes for purchasing two or more units

Promotion time:
 Nov. 1 ~ Dec. 31, 2023



Low & Constant temperature reaction bath Rotary Evaporator Vein Finder



RBY-LT40-5Y
\$878



REV-1005II
\$1426



VF-P10
\$1686

HOT LAUNCH

Infitek

Defibrillator, AED-5S

Energy: 200-Joules max
 Mode: Adult, child
 Waveform: Biphasic truncated exponential

Defibrillator, DB-8000BC

Information: Heart Rate, Nibp, SpO2,
 Temp, Delivered Energy
 Energy: 360-Joules max
 AED (Optional)
 7 inches (17.7cm) diagonally





Infitek Refrigerator & Freezers

FDA CE

- Ultra-low Temperature Freezer
- Low Temperature Freezer
- Blood Bank Refrigerator
- Cryogenic Freezer
- Pharmacy Refrigerator
- Medical Cooler Box
- Car Refrigerator

Pathology Lab Equipment

Infitek

- Tissue Processor
- Embedding System
- Microtome
- Tissue Slide dryer
- Automatic Cryostat
- Slide Stainer
- Digital Pathology Slide Scanner

EBD-4&CL4 PAS-SCI TSP-6A/TSP-6B TSST-36 RMT-SA390 TSW-1 RMT-R300

Laboratory Optical Microscopes

Infitek

- Fluorescence Microscope
- Inverted Microscope
- Metallurgical Microscope
- Stereo(Dissecting) Microscope
- Polarizing(petrographic) Microscope
- Digital Microscope
- Biological Microscope
- Teaching Microscope

FDA CE

Pharmacy Refrigerator

Infitek

PR5-320 PR5-660 PR5-1500

CE FDA

INFITEK – PROFESSIONAL LABORATORY INSTRUMENT AND EQUIPMENT ONE-STOP SOLUTION PROVIDER

GRATING SPECTROPHOTOMETER

SP-GLR606
Double Array 256 Image Element CMOS Sensor

Wavelength Pitch:10nm
Wavelength Range:380-780nm

Infitek

INFITEK CO., LTD. INFITEK.COM INFITEK CO., LTD. INFITEK.COM INFITEK CO., LTD. INFITEK.COM INFITEK CO., LTD. INFITEK.COM



BENCHTOP AUTOCLAVE
WITH BD TEST, HELIX TEST, AND VACUUM TEST

European CLASS B

Chamber volume: 8L, 12L, 18L, 23L
LCD display

CE IEC

STB-B8B

Infitek




Stainless Steel Water Distillers

WDST-W series, Ordinary type WDST-E series, Ordinary type
WDST series, Water control type WDST-ZL series, Water Control type
WDST-D series, Water Control type, double towers and double bodies
WDST-T series, 50-600 L/h water output, no electricity needed, just boiler heating

Infitek

WDST series WDST-W series WDST-E series WDST-ZL series WDST-T series WDST-D series



Infitek

Type A2 Biosafety Cabinet Class II

BSC-IIA2-5J

BSC-IIA2-2J



Infitek

CE FDA

Infitek fume hood
brings fresh air for you.

FMH-550N Mini Ductless Fume Hood
Vertical Type



The image shows a white, vertical fume hood with a glass front and a control panel on top. It is set against a dark background with a cloud-like effect emanating from the front, suggesting air circulation. The Infitek logo is visible on the top left and top right of the hood.

ULTRASONIC CLEANERS

Multifunctional
Liquid Crystal
Digital
Industrial

Infitek

Degreasing
Rust removal
Decontamination
Removal

Learn more welcome to Bioevokeak.com



The image displays three different models of ultrasonic cleaners in a blue-themed environment. One is a large rectangular unit on a pedestal, another is a smaller square unit, and a third is a compact desktop model. The background features a circular graphic with the text 'ULTRASONIC CLEANERS FOR BIOEVOPEAK'.

Infitek

Rich features, the king of "superior" materials

Persistent freezing force, cold in the end "superior" materials

Infitek refrigerator, stable medical refrigeration all the time.

Experience the quality and enjoyment from Bioevokeak.

The correct way to open the refrigerator

Forced cooling system

Temperature alarm system

Adjustable temperature

Remote alarm contacts

Website: infitek.com | Email: info@infitek.com | Service: support@infitek.com



The image shows a tall, white medical refrigerator with a glass door and a control panel. The background is dark with handwritten-style text and icons. The refrigerator is shown in a slightly open position, revealing its interior shelves.

Automatic Glassware Washer

Capacity: 420L
Exterior body: #304 stainless steel
With safe door lock design
LCD screen

100% super clean

LWD-420M

CE FDA



The image features a large, white automatic glassware washer with a glass door and a control panel. The background is a vibrant blue with a circular, swirling pattern and numerous bubbles, suggesting a cleaning process. The Infitek logo is visible on the top of the machine.



Infitek
Laboratory
Pharmacy
Refrigerator
2-8°C

CE
FDA

This advertisement features two white laboratory refrigerators with glass doors. The background is a blue gradient with a subtle pattern. The text is in a clean, sans-serif font.



Infitek

Freezer, -45°C,
Vertical Type

Efficient refrigeration capacity

LF45-408

This advertisement shows a white vertical freezer standing on a circular white base. The background is a blue gradient with a subtle pattern. The text is in a clean, sans-serif font.



Infitek
Ph Meter

PH-P20F
Pocket ph meter

PH-P110B
Portable ph meter

PH-B200EM
Benthtop ph meter

This advertisement displays three different models of pH meters: a pocket meter, a portable meter, and a benchtop meter. Each meter is shown on a white base with its name and model number. The background is a blue gradient with a subtle pattern.



"One-Stop" Equipment for Cell Culture

Intelligent Energy saving Humanized

Drying Oven
Incubators
Microscopes
Water Purifier
Balances
Pipettes

This advertisement features a collection of laboratory equipment including a drying oven, incubators, microscopes, a water purifier, balances, and pipettes. The equipment is arranged on a blue gradient background with a subtle pattern. The text is in a clean, sans-serif font.



Analytical Balance

0.0001g
Overload Alarm

Infitek

SGS
FDA
CE



UV Visible Spectrophotometer

Double beam optical system
Wavelength Range: 190-1100nm
Spectrum Bandwidth: 1.8nm

Infitek
Learn more
welcome to infitek.com

5P-K1V7
8-inch color touch-screen

Shiny Light: 0.005T
Cut: 220nm (at 360nm Haze0.3)
Photometric Range: 0.0-250.0%T
+0.301-4.0308, 0.000-99.99%



DRYING OVEN TYPES

Forced Air Drying Oven
Natural Convection Oven
Dual Convection Oven
Dual Purpose (Oven/Incubator)
Automatic Thermostatic X-Ray Film Dryer
Vacuum Oven

Accurate temperature control,
Stable performance,
Convenient maintenance, Simple operation

Infitek

Water Quality Test Instrument

Pen type / Portable / Benchtop



The image displays three different models of water quality test instruments. On the left is a pen-type device. In the center is a portable unit with a digital display and a probe. On the right is a benchtop unit with a larger display and a probe. The background is a light blue gradient with water ripples at the bottom.

PCR Machine

Precise, Stable, Reliable

Infitek



The image shows three PCR machines. The first is the PCR-Q32 Series, labeled as a 'Real time pcr system'. The second is the FD-CT-1600 and FD-CT-1600D, labeled as 'Isothermal Fluorescence PCR'. The third is the PCRTC-G, labeled as a 'Gradient PCR Thermal Cycler'. The background is a light blue gradient with a DNA double helix structure.

Atomic Absorption Spectrophotometer

Infitek

CE FDA



The image displays four Atomic Absorption Spectrophotometers (AAS). The SP-IAA320 is a compact benchtop model. The SP-IAA4530 is a larger benchtop model with a red top. The SP-IAA1800H is a large floor-standing model with a circular opening on top. The background is a light blue gradient with a circular light effect.

LAB VENTILATION PRODUCTS



The image shows four different models of laboratory ventilation products. From left to right: a small biosafety cabinet, a larger biosafety cabinet with a stainless steel top, a biosafety cabinet with a stainless steel top and a control panel, and a large biosafety cabinet with a stainless steel top and a control panel. The background is a light blue gradient.

Infitek

Automatic Hematology Analyzer
5 parts, HEMA-D6051

Flow Cytometry (FCM)
Tri-angle laser scatter
Chemical staining

29 parameters
3 histograms for WBC, RBC and PLT



MAKES YOUR USE MORE INTELLIGENT AND MORE CONVENIENT

PATHOLOGY LAB SOLUTION



Particle Size Analyzer

PSA-LA2000

Highly improved resolution

Full built-in sampling system

Micro sample chamber



Orbital Shaker

SHK-00320

Infitek


TRUST RPR VDRL

Ideal for RPR, TRUST and VDRL screening

200 rpm

Variable speed control to 200rpm

Built-in digital timer
For samples from in multiwell plates and dishes



WATER TREATMENT PRODUCTS



Infitek

METALLURGICAL MICROSCOPE

reliable imaging high contrast



MSC-M4XC MSC-M201T MSC-M208T

Laboratory Balances

Analytical Balance
Analytical Balance
Halogen Moisture Analyzer
Micro Analytical Balance
Platform Scales
Precision Balance



Infitek

BA-W28F

BA-E Series

BA-P Series

BP-BF Series

BA-5B Series

MCA Series

CE FDA

Infitek Fully Automatic Urine Analyzer

UA-A3-240



- Full automation
- High-precision sample dropping system
- Unique IC card

- Unique system upgrade function.
- It can be online detected with the urine sediment analyzer.

PARTICLE SIZE ANALYZER

High efficient-cost model
Semi automatic operation
Full built-in integrated dispersion system
Perfect accuracy and precision guaranteed
Advanced Detector Design


Net Weight: **25Kg**

PSA-L2000



Molecular Biology Instruments

- Anaerobic Incubator
- In Situ Hybridization
- Colony Counter
- Anaerobic Jar
- Block Heater
- PCR



Infitek LAMINAR FLOW CABINET

Mini Laminar Flow Cabinet, Vertical Type

High-Quality&Ergonomic Construction

- HEPA FILTER (99.99% @ 0.3μm)
- ULTRAVIOLET RADIATION
- EXTREMELY POWDER COATED

LCB-V550P



Spectrophotometers

- Visible Spectrophotometer
- UV Visible Spectrophotometer
- Fluorescence Spectrophotometer
- Flame Photometer
- Atomic Absorption Spectrophotometer
- Microvolume UV/Vis (Nano) Spectrophotometer
- Grating Spectrophotometer
- Portable Spectrophotometer

Infitek



Laboratory Equipments

- Lab Refrigerator & Freezer
- Spectrophotometers
- Microscopes
- Centrifuges
- Sterilizers and Autoclaves
- Balances
- Liquid Nitrogen Tank
- Freeze Dryers
- Shakers
- Mixers
- Hotplates & Stirrers
- Incubators



Infitek

Animal Lab Equipment

- Egg Incubator
- Isolator
- IVC System
- Rat Cage
- Veterinary Hematology Analyzer



Infitek

CO₂ Incubator

Intelligent Energy saving Humanized

Obtained FDA CE EAC Certificate



ICB-CO2-80
ICB-CO2-160

Infitek

MOLECULAR BIOLOGY INSTRUMENTS





How to distinguish Lab Ventilation Products?

INFITEK CLASSROOM

Difference	Biological safety cabinet	Laminar clean bench	Fume Hood
Protect Operator	✓	✗	✓
Protect Sample	✓	✓	✗
Protect the lab environment	✓	✗	✓
Operating area pressure status	Negative pressure	Positive pressure	Negative pressure

DUCTLESS FUME HOOD

520mm Maximum Opening
750mm Work Surface Height

0.3~8 m/s Airflow Velocity (Adjustable)

FMH-DF Series

FMH-D3F FMH-D4F FMH-D5F FMH-D6F

A white and blue ductless fume hood with a glass front and a stainless steel work surface, mounted on a four-wheeled base. The hood is shown in a studio setting with a blue background and a spotlight effect on the base.

Infitek Autoclaves & Sterilizers

High quality stainless steel material

Digital display and touch buttons

Standard test interface


- Bolt structure
- Safety interlocking device
- Self-expanding seal

A tall, stainless steel autoclave with a digital display and control panel on the front. It has a large lid with a handle and is mounted on a four-wheeled base. The background is a light gray wall with a green plant in the corner.

Model: STV-75L
CAPACITY: 75L

ANALYTICAL BALANCE

Infitek



CE FDA

BA-E SERIES

110g/0.0001g LCD display
RS232 port
External Calibration


BA-E Series

BA-E1004 BA-E104 BA-E1204 BA-E2004 BA-E2104 BA-E2204

The image shows a white analytical balance with a glass draft shield. The digital display shows '200.000'. The background is a blue gradient with vertical lines.

Class II Biological Safety Cabinet

Class 10(ISO4) Cleanliness
Protect personnel, samples and the environment



CE FDA

The image shows a white Class II biological safety cabinet on a metal stand with wheels. The front panel has a control panel with a digital display and a yellow biohazard warning symbol. The background is a blue gradient with vertical lines.

Infitek

Laser Particle Size Analyzer

High Efficient-Cost Model
Semi Automatic Operation



Karl Fischer Titrator

- Wide range of applications for solid, liquid and gas samples;
- Volumetric KF Titration and Coulometric KF Titration are supported;
- LCD display screen;
- Support KF Titration Mode and Titer Detection Mode;
- Features of auto-filling, auto-purging and auto-mixing of the reagents ensure safe handling of Karl Fischer chemicals.



TITR-40VC

Microcentrifuge, Low Speed

- Speed range:300-5000rpm;
- Easy-to-read processing display and sound alert;
- Automatic lid-lock release after running;
- Maintenance-free brush-less DC motor.



CFG-5D

Infitek

Microplate Reader

MPR-D111



96 well plate

Stability: $\leq \pm 0.003 \text{ Abs}$ Accuracy: $\leq \pm 0.01 \text{ Abs}$

One Stop Laboratory Equipment Supplier

Infitek

Balances

Precision Balances
Analytical Balances



BP-212-2C
BP-2102-2C
BP-1K-B
BP-2K-B

BA-W313P
BA-W213P

Infitek

One-stop laboratory equipment supplier

Infitek

LAMINAR FLOW CLEAN BENCH

Vertical type
CE & FDA certified



Infitek

Class 100 (ISO 5) Cleanliness For Your Samples

Lab Water Purification System

LWP-G3 Series
WDST-20ZL



Automatic Kjeldahl System



High cost-efficiency configuration